GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department — Guntur Municipal Corporation – Allegations of irregularities and misuse of official position and corruption against concerned officials of Guntur Municipal Corporation- Disciplinary Proceedings initiated against Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation under Rule-20 of A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 - Charges framed - Inquiry conducted – Imposing a penalty of " withholding of one (1) annual grade increment with cumulative effect" – Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.II) DEPARTMENT

G.O.Rt.No.201 **Dated.14.02.2024.**

Read the following:

1) From the DG, ACB, Lr.Rc.No 06 /RE-VGT/2013-S,17, dt.16.07.2014.
2) From D.G.,ACB, A.P., Hyd Lr.Rc.Nos.06/RE-VGT/2013-S.17, dt.. .09.2014.
3) G.O.Rt.No.829, M.A. & U.D. Dept., dated 27.10.2014.
4) Served copy of Sri S.S.R. Krishna Reddy, the then Assistant Engineer, GMC (received though the ENC(Ph), A.P., Lr.No.14/CON/S-II/2014, dt.29.11.2015)
5) From the G.A. (COI-R) Dept., U.O.Note No.15/COI-R/2018, dated.27.03.2019.
6) G.O.Rt.No.349, MA&UD (Vig.II) Dept., dt.13.05.2019.
7) Inquiry Report received from COI, AP, Hyderabad in D.O.Lr.No.78/COI-JS/2019, dt.18.10.2021.
8) Govt. Memo.No.11422/Vig.II/2014, dated 24.02.2022.
9) Written representation Sri S.SR. Krishna Reddy, the then Assistant Engineer, GMC, dt.Nil.
10) G.O.MS.No.124, GA(SER.A) Dept., dt.04.12.2023.

-oOo-

O R D E R:-

Whereas in the reference 1st read above, the Director General, ACB, A.P., submitted a Regular Enquiry Report on the allegations of irregularities and misuse of official position and corruption etc., against Sri S.S.R. Krishna Reddy, the then Assistant Engineer and others of Guntur Municipal Corporation and requested to take departmental action against concerned officials of Municipal Corporation, Guntur.

2. In the reference 3rd read above, Article of Charges were framed against Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation and directed him to submit written statement of defence under Rule 20 of APCS(CCA) Rules, 1991.

3. The written statement of defence was not received and the ENC (Ph), A.P. forwarded the served copy of the charged officer, vide reference 4th read above. After following due procedure, the Government vide reference 6th read above, appointed Sri J.Satyanarayana, IPS (Retd.), COI., as an Inquiry Officer to inquire into the charges framed against Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation.

(P.T.O)

4. The Inquiry Authority conducted inquiry into the charges framed against the said charged officer and submitted his report, vide reference 7th cited. The Inquiry Authority held that out of (2) charges framed against the charged officer, One (1) charge is proved and another (1) charge not proved.

5. In the reference 8th read above, Government have accepted the findings of the Inquiry Officer and communicated a copy of inquiry report to the charged officer Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation with a direction to submit his written representation if any, on the findings of the Inquiry Officer in terms of Rule 21 (2) of APCS (CCA) Rules, 1991. The charged officer has submitted the written representation vide reference 9th read above, among others, he has requested to exonerate him from the charge.

6. Government have examined the written representation of the Charged Officer; keeping in view the findings of Inquiry Authority and found that certain procedural irregularities were committed by the C.O., while making purchases of certain items. After examination of the matter, Government have decided to impose a penalty of "withholding of one (1) annual grade increment with cumulative effect" against the charged officer Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation.

7. Accordingly, the Government hereby impose a penalty of "withholding of one (1) annual grade increment with cumulative effect" against the charged officer Sri S.S.R. Krishna Reddy, the then Assistant Engineer, Guntur Municipal Corporation.

8. The Engineer-in-chief (Public Health), A.P., Tadepalli shall take necessary further action in the matter accordingly.

9. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri S.S.R. Krishna Reddy, the then Assistant Engineer,
Guntur Municipal Corporation - **through** the ENC(Ph), A.P., Tadepalli.
The Engineer-in-chief (Public Health) , A.P., Tadepalli.
Copy to:
The Director General, Anti- Corruption Bureau, A.P.,
Opposite PN Bus stand, Vijayawada.
The Secretary to A.P. Vigilance Commission, 5th Block, A.P. Secretariat.
SF/SCs.

//FORWARDED BY ORDER//

SECTION OFFICER.